

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	456	sampl\$5 same (pw50 (half near amplitude) (half near gain) (half near power))	USPAT	OR	OFF	2005/10/26 08:50
S2	471	sampl\$5 same (pw50 (half near amplitude) (half near gain) (half near power))	USPAT	OR	ON	2005/10/26 08:50
S3	82	sampl\$5 same (pw50 (half near amplitude) (half near gain) (half near power)) and (compar\$5 near5 (threshold maximum max))	USPAT	OR	ON	2005/10/26 08:51
S4	10	sampl\$5 same (pw50 (half near amplitude) (half near gain) (half near power)) and (compar\$5 near5 (threshold maximum max)) and (flaw defect)	USPAT	OR	ON	2005/10/26 08:51
S5	1427	sampl\$5 and (pw50 (amplitude) (half near power)) and (compar\$5 near5 (threshold maximum max)) and (flaw defect)	USPAT	OR	ON	2005/10/26 08:52
S6	34	sampl\$5 and (pw50 (amplitude) (half near power)) and (compar\$5 near5 (threshold maximum max)) and (flaw defect) and 360/53.ccls..	USPAT	OR	ON	2005/10/26 08:53
S7	2	sampl\$5 and (pw50) and (compar\$5 near5 (threshold maximum max)) and (flaw defect) and 360/53.ccls..	USPAT	OR	ON	2005/10/26 08:54
S8	2	sampl\$5 and (pw50 (pulse near width near (half "50"))) and (compar\$5 near5 (threshold maximum max)) and (flaw defect) and 360/53.ccls..	USPAT	OR	ON	2005/10/26 08:57
S9	7	sampl\$5 and (pw50 ) and (compar\$5 near5 (threshold maximum max)) same (error flaw defect)	USPAT	OR	ON	2005/10/26 09:03
S10	13	sampl\$5 and (half near pulse near width) and (compar\$5 near5 (threshold maximum max)) same (error flaw defect)	USPAT	OR	ON	2005/10/26 09:05
S11	7	sampl\$5 and ((pw50) half near pulse near width) and (compar\$5 near5 (threshold maximum max)) same (error flaw defect)	US-PGPUB	OR	ON	2005/10/26 10:06
S12	0	sampl\$5 and ((pw50) half near pulse near width) and (compar\$5 near5 (threshold maximum max)) same (flaw defect)	US-PGPUB	OR	ON	2005/10/26 10:06

S13	2	sample\$5 and ((pw50) half near pulse near width) and (compare\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB	OR	ON	2005/10/26 10:07
S14	3	((pw50) half near pulse near width) and (compare\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB	OR	ON	2005/10/26 10:08
S15	26	((pw50) half near pulse near width (half near power) (half near amplitude)) and (compare\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB	OR	ON	2005/10/26 11:02
S16	23	( (half near power) (half near amplitude)) and (compare\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB	OR	ON	2005/10/26 10:11
S17	93	( (half near power) (half near amplitude)) and (compare\$5 near5 (threshold maximum max)) and (flaw defect)	USPAT	OR	ON	2005/10/26 10:11
S18	6	("4298898"   "4656420"   "4929894"   "5719719"   "6118602"   "6204660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:35
S19	3	pw50 and base and disk and transducer and (vCM (voice near coil near motor)) and controller and channel	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:37
S20	8	pw50 and base and disk and transducer and (vCM (voice near coil near motor)) and controller	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:37
S21	0	pw50 and base and disk and transducer and (vCM (voice near coil near motor)) and processor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:37
S22	1	pw50 and base and disc and transducer and (vCM (voice near coil near motor)) and processor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:38
S23	4	pw50 and base and disc and transducer and (vCM (voice near coil near motor)) and controller	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:38
S24	4	pw50 and base and disc and (vCM (voice near coil near motor)) and controller	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:38
S25	12	pw50 and base and disk and (vCM (voice near coil near motor)) and controller	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 10:39
S26	0	pw50 and base and disk and (vCM (voice near coil near motor)) and controller	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:40

S27	0	pw50 and base and disk and (vCM (voice near coil near motor)) and processor	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:40
S28	2	pw50 and base and disk and (vCM (voice near coil near motor)) and processor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 14:02
S29	20	((pw50) (half near pulse near width) (half near amplitude)) and (compar\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB	OR	ON	2005/10/26 11:03
S30	77	((pw50) (half near pulse near width) (half near amplitude)) and (compar\$5 near5 (threshold maximum max)) and (flaw defect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:03
S31	24	pw50 and (disc disk) and (vCM (voice near coil near motor)) and (processor controller) and compar\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 16:39
S32	1	"6100683".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/26 16:40